

CLAIMS

We claim:

1. Apparatus for the automatic interpretation of a waveform of a breath of a subject.
2. Apparatus according to claim 1 and wherein said waveform is obtained from a capnographic analyzer.
3. Apparatus for the diagnosis of the respiratory state of a subject by computer analysis of at least one breath waveform obtained from said subject.
4. Apparatus according to claim 3 and wherein said breath waveform is obtained from a capnographic analyzer.
5. Apparatus for computerized breath analysis comprising:
 - a breath receiver in fluid communication with a subject;
 - a breathing analyzer coupled to the breath receiver and operative to analyze breathing of said subject and provide at least one output; and
 - a respiration diagnosis generator providing an indication of the respiratory status of the subject based on at least one output of said breathing analyzer.
6. Apparatus for computerized breath analysis comprising:
 - a breath receiver in fluid communication with a subject; and
 - a breathing analyzer coupled to the breath receiver and operative to analyze breathing of the subject and to provide an indication of the difference between the end tidal carbon dioxide partial pressure and the arterial carbon

10085686 022603

dioxide partial pressure of said subject.

7. Apparatus for computerized breath analysis comprising:

a breath receiver in fluid communication with a subject; and
a breathing analyzer coupled to the breath receiver and operative to analyze breathing of the subject and to provide an indication of the arterial carbon dioxide partial pressure of the subject.

8. Apparatus for computerized breath analysis according to claim 6 and also comprising:

a respiration diagnosis generator providing an indication of the respiratory status of the subject based on said indication of said difference between end tidal carbon dioxide partial pressure and the arterial carbon dioxide partial pressure of the subject.

9. Apparatus for computerized breath analysis according to claim 7 and also comprising:

a respiration diagnosis generator providing an indication of the respiratory status of the subject based on said indication of the arterial carbon dioxide partial pressure of the subject.

10. Apparatus according to claim 5 and wherein said breathing analyzer includes a capnograph.

11. Apparatus according to claim 6 and wherein said breathing analyzer includes a capnograph.

12. Apparatus according to claim 7 and wherein said breathing analyzer includes a capnograph.

13. Apparatus according to claim 5 and wherein said breathing analyzer performs analysis of at least one breath waveform.

14. Apparatus according to claim 6 and wherein said breathing analyzer performs analysis of at least one breath waveform.

15. Apparatus according to claim 7 and wherein said breathing analyzer performs analysis of at least one breath waveform.

16. Apparatus according to claim 13 and wherein said breathing analyzer operates in a frequency domain.

17. Apparatus according to claim 16 and wherein said breathing analyzer analyzes changes in the frequency spectrum of said breath waveform for detecting changes in the respiratory status of said subject.

18. Apparatus according to claim 13 and wherein said breathing analyzer compares at least part of said breath waveform with at least one reference.

19. Apparatus according to claim 18 and wherein said breathing analyzer analyzes variations in at least part of said breath waveform over time for detecting changes in the respiratory status of said subject.

20. Apparatus according to claim 5 and wherein said respiratory diagnosis generator provides an indication of the respiratory status of the subject based on a capnographic measurement, and also on at least one output of at least one of:

- a breathing flow rate measurement;
- a breathing volume measurement;

an analysis of the amount of at least one other gas in the breath;
a measurement of cardiac output;
a pulse oximetric measurement; and
an ECG measurement.

21. Apparatus for providing an indication of the respiratory state of a subject, comprising:

a gas analyzer which provides at least one time-dependent waveform of the partial pressure of carbon dioxide in the breath of a subject;

an input circuit for receiving a sequence of digitized signals derived from said at least one waveform;

a signal processor for analyzing said at least one waveform for at least one parameter which characterizes a property of said waveform;

a parameter comparator for comparing said at least one parameter with a predefined parameter which characterizes the same property of a waveform obtained from a normal subject; and

a diagnosis generator which generates a message in accordance with the output of said parameter comparator.

22. Apparatus according to claim 21 and wherein said gas analyzer is a capnograph.

23. Apparatus for providing an indication of the respiratory state of a subject, comprising:

a gas analyzer which provides a plurality of time-sequenced waveforms of the partial pressure of carbon dioxide in the breath of a subject;

an input circuit for receiving a sequence of digitized signals derived from said plurality of time-sequenced waveforms;

a signal processor for analyzing said plurality of time-sequenced

10085888 022202

